



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/051,442	01/18/2002	Sundeeep Chandhoke	5150-58200	3493
35690	7590	04/05/2005	EXAMINER	
MEYERTONS, HOOD, KIVLIN, KOWERT & GOETZEL, P.C. P.O. BOX 398 AUSTIN, TX 78767-0398			HANNE, SARA M	
			ART UNIT	PAPER NUMBER
			2179	

DATE MAILED: 04/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/051,442	<b>Applicant(s)</b> CHANDHOKE ET AL.	
	<b>Examiner</b> Sara M Hanne	<b>Art Unit</b> 2179	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-68 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-68 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |  |
|---|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>10/24/02</u> | 6) <input type="checkbox"/> Other: ____  |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 53-60 are rejected under 35 U.S.C. 102(e) as being anticipated by Blowers et al., US Patent 6298474, hereinafter Blowers.

As in Claim 53, Blowers teaches a computer-implemented method, memory medium and system for creating a prototype that includes machine vision, and data acquisition (DAQ) functionality, the method comprising: displaying a graphical user interface (GUI) that provides GUI access to a set of operations (Col. 8, line 61 et seq.), wherein the set of operations includes, one or more machine vision operations, and one or more DAQ operations; receiving user input to the graphical user interface specifying a sequence of operations (Col. 4, lines 64-67), wherein the specified sequence of operations includes a machine vision operation, and a data acquisition operation (Col. 8, lines 9-19) and storing information representing the specified sequence of operations in a data structure (Col. 13, lines 10-54), wherein the specified sequence of operations comprises the prototype (Figure 6 and corresponding text).

As in Claim 54, Blowers teaches accessing the information representing the sequence of operations to determine program instructions corresponding to operations in the sequence; and executing the program instructions (Col. 8, line 61 et seq.).

As in Claim 55, Blowers teaches receiving user input to the graphical user interface specifying the sequence of operations does not include receiving user input specifying programming language code to implement the sequence of operations (Col. 3, line 64 et seq.).

As in Claims 56-57, Blowers teaches wherein the prototype is operable to perform acquiring images, analyze the acquired images; and acquiring measurement data (Col. 11, line 65 et seq.).

As in Claim 58, Blowers teaches the prototype is operable control an image acquisition device to acquire an image of the object; and control a data acquisition device to acquire measurement data of the object (Col. 11, line 65 et seq.).

As in Claim 59, Blowers teaches executing the sequence of operations by performing each operation in the sequence (Col. 4, line 64 et seq.).

As in Claim 60, Blowers teaches creating program instructions executable to perform the specified sequence of operations; wherein said performing the specified sequence of operations comprises executing the program instructions (Col. 2, line 47 et seq.).

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-52 and 61-68 rejected under 35 U.S.C. 103(a) as being unpatentable over Blowers et al., US Patent 6298474, herinafter Blowers, and further in view of Weinhofer, US Patent 6442442.

As in Claims 1, 37, 43-45 and 61, Blowers teaches a computer-implemented method, memory medium and system for creating a prototype that includes machine vision, and data acquisition (DAQ) functionality, the method comprising: displaying a graphical user interface (GUI) that provides GUI access to a set of operations (Col. 8, line 61 et seq.), wherein the set of operations includes, one or more machine vision operations, and one or more DAQ operations; receiving user input to the graphical user interface specifying a sequence of operations (Col. 4, lines 64-67), wherein the specified sequence of operations includes a machine vision operation, and a data acquisition operation (Col. 8, lines 9-19) and storing information representing the specified sequence of operations in a data structure (Col. 13, lines 10-54), wherein the specified sequence of operations comprises the prototype (Figure 6 and corresponding text). While Blowers teaches machine vision and data acquisition operations controlled by a GUI through a user specified sequence of operations in a data structure, they fail to show the motion control functionality with a motion control operation as recited in the claims. In the same field of the invention, Weinhofer teaches a graphical interface for creating a prototype through a specified sequence of operations in a data structure similar to that of Blowers. In addition, Weinhofer further teaches motion control

operation and functionality through graphical programming (Col. 3, line 63 et seq. and Fig. 3). It would have been obvious to one of ordinary skill in the art, having the teachings of Blowers and Weinhofer before him at the time the invention was made, to modify the machine vision and data acquisition operations and functionality controlled by a GUI through a user specified sequence of operations in a data structure taught by Blowers to include the motion control operation and functionality of Weinhofer, in order to obtain a graphical programming interface for machine vision, data acquisition and motion control. One would have been motivated to make such a combination because an all-purpose graphical automotive controller would have been obtained, as taught by Weinhofer.

As in Claims 2, 38, 46 and 62, Blowers teaches accessing the information representing the sequence of operations to determine program instructions corresponding to operations in the sequence; and executing the program instructions (Col. 8, line 61 et seq.).

As in Claims 3 and 39, Blowers teaches receiving user input to the graphical user interface specifying parameter values for one or more operations in the sequence wherein storing information representing the specified sequence of operations comprises storing the parameter values; wherein the method further comprises executing software routines corresponding to operations in the sequence, wherein executing comprises passing the parameter values to the software routines (Col. 9, line 7 et seq.).

As in Claims 4 and 40, Blowers teaches the information does not comprise programming language code (Col. 3, line 64 et seq.).

As in Claims 5, 41, 47 and 63, Blowers teaches receiving user input to the graphical user interface specifying the sequence of operations does not include receiving user input specifying programming language code to implement the sequence of operations (Col. 3, line 64 et seq.).

As in Claims 6-8, 30, 42, 48-49, 64-65, Blowers teaches wherein the prototype is operable to perform acquiring images, analyze the acquired images; and acquiring measurement data (Col. 11, line 65 et seq.). While Blowers teaches machine vision and data acquisition operations controlled by a GUI through a user specified sequence of operations in a data structure, they fail to show the motion control functionality with a motion control operation as recited in the claims. In the same field of the invention, Weinhofer teaches a graphical interface for creating a prototype through a specified sequence of operations in a data structure similar to that of Blowers. In addition, Weinhofer further teaches motion control operation and functionality through graphical programming (Col. 3, line 63 et seq. and Fig. 3). It would have been obvious to one of ordinary skill in the art, having the teachings of Blowers and Weinhofer before him at the time the invention was made, to modify the machine vision and data acquisition operations and functionality controlled by a GUI through a user specified sequence of operations in a data structure taught by Blowers to include the motion control operation and functionality of Weinhofer, in order to obtain a graphical programming interface for machine vision, data acquisition and motion control. One would have been motivated to

make such a combination because an all-purpose graphical automotive controller would have been obtained, as taught by Weinhofer.

As in Claims 9, 36, 50 and 66, wherein the prototype is operable control an image acquisition device to acquire an image of the object; and control a data acquisition device to acquire measurement data of the object (Col. 11, line 65 et seq.). While Blowers teaches machine vision and data acquisition operations controlled by a GUI through a user specified sequence of operations in a data structure, they fail to show the motion control functionality with a motion control operation to move an object as recited in the claims. In the same field of the invention, Weinhofer teaches a graphical interface for creating a prototype through a specified sequence of operations in a data structure similar to that of Blowers. In addition, Weinhofer further teaches motion control operation and functionality to move an object through graphical programming (Col. 3, line 63 et seq. and Fig. 3). It would have been obvious to one of ordinary skill in the art, having the teachings of Blowers and Weinhofer before him at the time the invention was made, to modify the machine vision and data acquisition operations and functionality controlled by a GUI through a user specified sequence of operations in a data structure taught by Blowers to include the motion control operation and functionality of Weinhofer, in order to obtain a graphical programming interface for machine vision, data acquisition and motion control. One would have been motivated to make such a combination because an all-purpose graphical automotive controller would have been obtained, as taught by Weinhofer.



As in Claims 10, 51 and 67, Blowers teaches executing the sequence of operations by performing each operation in the sequence (Col. 4, line 64 et seq.).

As in Claims 11, 52 and 68, Blowers teaches creating program instructions executable to perform the specified sequence of operations; wherein said performing the specified sequence of operations comprises executing the program instructions (Col. 2, line 47 et seq.).

As in Claim 12, Blowers teaches receiving user input to the graphical user interface for configuring operations in the sequence; wherein, for each operation, said configuring the operation affects an action which the operation is operable to perform (Col. 9, lines 1-10, Col. 11, line 15).

As in Claim 13, Blowers teaches wherein receiving user input to the graphical user interface for configuring one or more of the operations in the sequence does not include receiving user input specifying programming language code to configure the operations (Col. 3, lines 64-65).

As in Claim 14, Blowers teaches for each operation to be configured, displaying a graphical panel including graphical user interface elements for setting properties of the operation and receiving user input to the graphical panel to set one or more properties of the operation (Figures 5-7 with corresponding text).

As in Claim 15, Blowers teaches the graphical panel is automatically displayed in response to adding the operation to the sequence (Col. 9, line 7 et seq. and Col. 12, lines 8-10).

As in Claim 16, Blowers teaches receiving user input requesting to configure a first operation, and displaying a graphical panel for configuring the first operation in response to the request (Col. 8, line 61 et seq.).

As in Claim 17, Blowers teaches the graphical user interface includes an area which visually represents the operations in the sequence (Figure 7 and corresponding text); wherein the method further comprises: for each operation added to the sequence, updating the area usually representing the operations in the sequence to illustrate the added operation (simple drag-drop functionality, Col. 8, line 61 et seq.).

As in Claim 18, Blowers teaches the area visually representing the operations in the sequence displays icons (Figure 7 and corresponding text), wherein each icon visually indicates one of the operations in the Sequence (Col. 8, lines 64-66); wherein said updating the area visually representing the operations in the sequence to illustrate the added operation comprises displaying a new icon to visually indicate the added operation (simple drag-drop functionality, Col. 8, line 61 et seq.).

As in Claim 19, Blowers teaches the graphical user interface displays buttons, wherein each button is operable to add a new operation to the sequence in response to user input; wherein said receiving user input to the graphical user interface specifying a desired sequence of operations comprises receiving user input to the plurality of buttons to create the sequence of operations (Col. 12, lines 48-52 and Figure 5-7 with corresponding text).

As in Claim 20, While Blowers teaches machine vision and data acquisition operations controlled by a GUI through a user specified sequence of operations in a

data structure, they fail to show the motion control functionality with a motion control operation as recited in the claims. In the same field of the invention, Weinhofer teaches a graphical interface for creating a prototype through a specified sequence of operations in a data structure similar to that of Blowers. In addition, Weinhofer further teaches motion control operation and functionality through graphical programming (Col. 3, line 63 et seq. and Fig. 3) including a straight line move operation (Col. 6, lines 44 et seq.). It would have been obvious to one of ordinary skill in the art, having the teachings of Blowers and Weinhofer before him at the time the invention was made, to modify the machine vision and data acquisition operations and functionality controlled by a GUI through a user specified sequence of operations in a data structure taught by Blowers to include the motion control operation and functionality including a straight line move operation of Weinhofer, in order to obtain a graphical programming interface for machine vision, data acquisition and motion control including a straight line move operation. One would have been motivated to make such a combination because an all-purpose graphical automotive controller would have been obtained, as taught by Weinhofer.

As in Claim 21, While Blowers teaches machine vision and data acquisition operations controlled by a GUI through a user specified sequence of operations in a data structure, they fail to show the sequence includes a motion control operation, and the method further comprises displaying a view of the motion control performed by the motion control operations in the sequence on the graphical user interface, wherein the view graphically previews the cumulative movement specified by the motion control

operations in the sequence as recited in the claims. In the same field of the invention, Weinhofer teaches a graphical interface for creating a prototype through a specified sequence of operations in a data structure similar to that of Blowers. In addition, Weinhofer further teaches the sequence includes a motion control operation (Col. 6, lines 39-41), and the method further comprises displaying a view of the motion control performed by the motion control operations in the sequence on the graphical user interface (Col. 3, line 63 et seq.), wherein the view graphically previews the cumulative movement specified by the motion control operations in the sequence (Fig. 3 and corresponding text). It would have been obvious to one of ordinary skill in the art, having the teachings of Blowers and Weinhofer before him at the time the invention was made, to modify the machine vision and data acquisition operations and functionality controlled by a GUI through a user specified sequence of operations in a data structure taught by Blowers to include the motion control operation and functionality including a straight line move operation of Weinhofer, in order to obtain a graphical programming interface for machine vision, data acquisition and motion control including a straight line move operation. One would have been motivated to make such a combination because an all-purpose graphical automotive controller would have been obtained, as taught by Weinhofer.

As in Claim 22, Blowers teaches a two-dimensional position view for viewing a two-dimensional display of position data of the sequence in one or more of an XY, YZ, or ZX plane (Col. 8, lines 10-24).

As in Claim 23, Blowers teaches a three-dimensional position view for viewing a three-dimensional display of position data of the sequence (Col. 8, lines 10-24).

As in Claim 24, Blowers teaches programmatically generating a graphical program operable to perform the specified sequence of operations; and executing the graphical program to perform the specified sequence of operations (Col. 8, line 61 et seq.).

As in Claim 25, Blowers teaches the graphical program comprises interconnected nodes that visually indicate functionality of the graphical program (Col. 3, lines 14-35 and Figure 7 with corresponding text).

As in Claim 26, Blowers teaches a graphical data flow program (Col. 3, lines 14-35 and Col. 11, line 15).

As in Claim 27, Blowers teaches programmatically generating a text-based program operable to perform the specified sequence of operations; and executing the text-based program to perform the specified sequence of operations (Col. 8, line 61 et seq.).

As in Claim 28, Blowers teaches receiving a request from a computer program to execute the specified sequence of operations, wherein the computer program was not used to create the sequence of motion control operations (Col. 12, lines 46-47) and executing the specified sequence of operations in response to the request (Col. 11, lines 58-61).

As in Claim 29, Blowers teaches programmatically converting the sequence of operations to a format usable for configuring an embedded device to perform the

sequence of operations and configuring the embedded device to perform the sequence of operations using the format (Col. 2, line 47 et seq.).

As in Claims 31 and 33, Blowers teaches the information does not comprise programming language code and receiving user input to the graphical user interface specifying the sequence of operations does not include receiving user input specifying programming language code to implement the sequence of operations (Col. 3, line 64 et seq.).

As in Claim 32, Blowers teaches storing information representing the specified sequence of operations in a data structure, wherein the specified sequence of operations comprises the prototype (See Claim 1 rejection supra).

As in Claim 34, Blowers teaches accessing the information representing the sequence of operations to determine program instructions corresponding to operations in the sequence and executing the program instructions (Col. 8, line 61 et seq.).

As in Claim 35, Blowers teaches receiving user input to the graphical user interface specifying parameter values for one or more operations in the sequence wherein storing information representing the specified sequence of operations comprises storing the parameter values; wherein the method further comprises executing software routines corresponding to operations in the sequence, wherein executing comprises passing the parameter values to the software routines (Col. 9, line 7 et seq.).

### **Conclusion**

The prior art made of record on form PTO-892 and not relied upon is considered pertinent to applicant's disclosure. Applicant is required under 37 C.F.R. § 1.111(c) to consider these references fully when responding to this action. The documents cited therein teach similar motion control, machine vision, and data acquisition programming interfaces.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sara M Hanne whose telephone number is (571) 272-4135. The examiner can normally be reached on M-F 7:30am-4:00pm, off on alternating Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather R Herndon can be reached on (571) 272-4136. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

smh

**BA HUYNH**  
**PRIMARY EXAMINER**

